



- 1) THERE WILL BE SOIL DISTURBANCE THIS PROJECT.
 THE PROJECT SITE AND SURROUNDING AREA WILL BE
 PROTECTED AS FOLLOWS.
- 2) INSTALL EROSION CONTROL DURING SITE CLEARING, PRIOR TO START OF GRADING.
- 3) PROTECT ADJACENT PROPERTIES FROM
 SEDIMENT DEPOSITION BY APPROPRIATE USE OF
 VEGETATIVE BUFFER STRIPS, SEDIMENT BARRIERS
 OR FILTERS, DIKES OR MULCHING, OR BY A
 COMBINATION OF THESE MEASURES.
- 4) PROVIDE FOR PERIODIC STREET CLEANING WHEN NECESSARY TO REMOVE ANY SEDIMENT THAT MAY HAVE BEEN TRACKED OUT. SEDIMENT SHOULD BE REMOVED BY SHOVELING OR SWEEPING AND CAREFULLY REMOVED TO A SUITABLE DISPOSAL AREA WHERE IT WILL NOT BE RE-ERODED.
- 5) INSTALL CATCH BASIN PROTECTION IN THE DOWNSTREAM CATCH BASIN IN THE STREET OR ALLEY, SEE PLAN FOR LOCATIONS.
- 6) CLEAN STORM WATER INLETS AND CATCH BASINS IN THE STREET IF SEDIMENT FROM THE SITE GETS INTO THE STREET.
- 1) COVER ALL STOCKPILED SOILS AND CUT SLOPES WITH CLEAR PLASTIC AT CLOSE OF WORK EACH
- 8) COVER ALL DISTURBED SOILS WITH 4 TO 6 INCHES OF STRAW OR MULCH ASAP AFTER BACK FILL IS COMPLETE.
- 9) REMOVE ALL EXCAVATED SPOILS FROM SITE AS SOON AS POSSIBLE.
- 10) ALL NEW ROOF, FOOTING, AND OTHER SITE DRAINS SHALL BE CONNECTED TO EXISTING STORM DRAIN LINE SYSTEM PER THE CITY OF KIRKLAND.
- 11) RUNOFF SHALL NOT BE ALLOWED TO FLOW OVER OR CONCENTRATE ON OR NEAR STEEP SLOPES.
 DIVERT RUNOFF TO STORM DRAINAGE SYSTEM.
- 12) INSPECT ALL EROSION AND SEDIMENT CONTROL BEST MANAGEMENT PLANS REGULARLY, AND AFTER ANY LARGE STORM. MAINTENANCE, INCLUDING REMOVAL AND PROPER DISPOSAL OF SEDIMENT SHOULD BE DONE AS NECESSARY (GENERALLY WHEN ONE-HALF OR MORE OF THE TOTAL CAPACITY OR THE SYSTEM IS FILLED WITH SEDIMENT).
- 13) FINAL SITE GRADING MUST BE DIRECT DRAINAGE AWAY FROM ALL BUILDING STRUCTURES AT A MINIMUM OF 2% SLOPE PER IRC.

MAY BE REQUESTED BY CITY INSPECTOR DURING

CONSTRUCTION.




1537 Ballard Way Seattle wa 98107 Whitneyarchitecture.com

206.789.3934 FAX.789.1871

PROJECT:

Thorpe Residence

A New Single-Family Residence 6904)125th Avenue Northeast Kirkland, WA 98033



DATE ISSUED:

12/19/2007 PERMIT SE

DATE REVISED:

03/20/2008 () CORRECTIONS

filename & location:

A1.Erosion.DWG
Z:\DATA\DRAWINGS\WHITNEY\Thorpe\A1 - site & demolition plans\
PL©TTED:

25 March 2008 at 1:10 pm

SHEET TITLE:

Permit Documents

Erosion Control Plan

SHEET NUMBER:

SHEET

41.05

COPYRIGHT 2007-2008 P.A. Whitney architecture inc.

